



Data Collection Worksheet

Please Note: The Data Collection Worksheet (DCW) is a tool to aid integration of a PhenX protocol into a study. The PhenX DCW is not designed to be a data collection instrument. Investigators will need to decide the best way to collect data for the PhenX protocol in their study. Variables captured in the DCW, along with variable names and unique PhenX variable identifiers, are included in the PhenX Data Dictionary (DD) files.

Blunt Use

1. Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".

Have you ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it?

(Remember all information you give to the PATH Study will be kept private.)

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Respondents who have seen or heard of traditional cigars, cigarillos, or filtered cigars.

DISPLAY: Underline "ever".

2. [Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".]

In the past 12 months, have you smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it? [(Remember all information you give to the PATH Study will be kept private.)]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Respondents who have ever smoked a blunt (Q1 = 1).

DISPLAY: Underline "past 12 months". If Q2 = 1, display "Sometimes people take tobacco out of a cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt"." And "(Remember all the information you give to the PATH Study will be kept private.)". Else, do not display this transition text.

3. Now think about the past 12 months when you smoked traditional cigars, cigarillos or filtered cigars.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

- 1 Every time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who smoked blunts in the past 12 months (Q2 = 1).

4. In the past 30 days, have you smoked a [CIGARFILL] as a blunt, even one or two puffs?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who smoked blunts in the past 12 months (Q2 = 1).

5. On how many of the past 30 days did you smoke [CIGARFILL]s as blunts?

- 1 |___|___| DAYS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Past 30-day blunt smokers (Q4 = 1)

6. On average, on those [FILL NUMBER OF DAYS FROM Q5] days you smoked, how many [CIGARFILL]s did you usually smoke as a blunt each day?

1 [] Less than 1 per day

2 [] |___|___|

-8 [] DON'T KNOW

-7 [] REFUSED

ASK: Past 30-day blunt smokers (Q4 = 1).

Protocol source: <https://www.phenxtoolkit.org/protocols/view/770202>